


# K O B B E

DOOR TO DESIGN

K O B B E C O L L E C T I O N 2 0 2 6

C O N T E M P O R A R Y B E S P O K E A L U M I N I U M F R O N T D O O R S




|                                     |         |
|-------------------------------------|---------|
| KOBBE BRAND PRESENTATION            | 04 - 07 |
| ALU SOLID COLLECTION                | 12 - 19 |
| ALU DESIGN COLLECTION               | 20 - 31 |
| ALU CLASSIC COLLECTION              | 32 - 35 |
| ALU XGLASS COLLECTION               | 36 - 39 |
| ALU QUARTZ COLLECTION               | 40 - 45 |
| ALU SLAT COLLECTION                 | 46 - 49 |
| PIVOT COLLECTION                    | 50 - 53 |
| GLAZING AND SIDELIGHTS              | 54 - 55 |
| POWDER COATED FINISHES, WOOD EFFECT | 56 - 57 |
| CERAMIC FINISHES                    | 58 - 59 |
| PULL HANDLES AND LEVER HANDLES      | 60 - 71 |
| SMART HOME                          | 72 - 73 |
| DOOR LOCKS / ELECTRIC STRIKES       | 74 - 75 |
| DOOR HINGES / DOOR CLOSERS          | 76 - 77 |
| ACCESSORIES                         | 78 - 79 |





Choosing KOBBE as your front door supplier means you're opting for unmatched quality and craftsmanship. KOBBE front doors stand as a hallmark of resilience, reflecting our commitment to advanced manufacturing processes and the use of superior materials from renowned sources. Your decision is a testament to prioritizing excellence and innovation in enhancing your home's aesthetic and functionality.



**QUALITY**

**DURABILITY**

**ELEGANCE**

**INNOVATION**

KOBBE goes beyond being merely a door, it represents an unparalleled blend of performance and energy conservation. This choice guarantees your home is not only visually striking but also excels in retaining warmth and maximizing energy efficiency. With KOBBE, you're choosing a synthesis of elegance, sustainability, and lasting craftsmanship.

Each KOBBE door is a testament to distinctiveness and eco-friendly design. Embracing environmental responsibility, we utilize aluminum profiles comprised of 75% recycled content and ensure the recycling of production remnants. This strategy underscores our commitment to reducing our ecological footprint without compromising the unparalleled quality and individuality of our offering.

SAFETY,  
COMFORT,  
ENERGY EFFICIENCY,  
SUSTAINABILITY



KOBBE aluminum front doors redefine security, meticulously crafted with laminated safety glass and robust fittings to ensure they conform to the RC2 and PAS 24 security rating. This commitment to protection means our doors are designed not just for aesthetic appeal but with a paramount focus on safeguarding your home against unauthorized entry, offering peace of mind and reliability.

# K O B B E

## MODERN DESIGN & AESTHETIC APPEARANCE

Immerse yourself in the captivating realm of KOBBE, where the innovation of modern aluminum doors is both made for and inspired by discerning customers. Welcome to a world where elegance meets functionality.

KOBBE front doors are crafted with meticulous precision, where attention to every single detail is paramount!

The cutting-edge technologies employed in crafting KOBBE front doors seamlessly integrate with modern smart home systems, ensuring perfect harmony and enhanced functionality.

KOBBE front doors present a contemporary design, complemented by an extensive palette of finishes and a diverse array of features, tailored to meet various aesthetic and functional preferences.

Each configuration bestows our front door with an aesthetic and timeless design.

WHY SHOULD YOU CHOOSE KOBBE?

DURABILITY / HIGH WEATHER RESISTANCE

ENERGY EFFICIENCY / LOW THERMAL TRANSMITTANCE

SAFETY / ADVANCED BURGLAR PROTECTION SYSTEMS

CONTEMPORARY AND TIMELESS DESIGN



Made to Measure



Wide Range of  
Finishes




PAS24 and RC2 Security  
Rating for Enhanced Protection



Personalized Design

# DEFAULT EQUIPMENT

## KOBBE PREMIUM



|              |  |
|--------------|--|
| 1 frame      | High-quality thermally broken aluminium frame, flush on both sides     |
| 2 lock       | Winkhaus 3-point hook lock in SL75, 5 point in P90                     |
| 3 hinges     | High-quality roller hinges, powder coated, colour matched              |
| 4 cylinder   | Euro Cylinder, 5 keys  |
| 5 escutcheon | Anti-burglary stainless steel escutcheon                               |
| 6 finish     | Durable powder coated fine-structure matt finish                       |
| 7 glass      | Triple glazed in SL75, quadruple glazed in P90, laminated safety-glass |



2 Lock  
Winkhaus  
3-point hook lock



3 Roller hinges



5 Stainless steel  
escutcheon



4 Euro Cylinder


# CROSS-SECTION

## KOBBE PREMIUM

- |   |   |
|---|---|
| 1 | Durable, weather-resistant powder-coated aluminium sheet  |
| 2 | Filling: modern XPS board – ensuring excellent thermal insulation, high durability, and resistance to moisture and corrosion.                   |
| 3 | Durable, weather-resistant powder-coated aluminium sheet  |
| 4 | EPDM seals – providing resistance to changing weather conditions, including extreme temperatures, as well as aging, UV radiation, and moisture. |
| 5 | Multi-chamber thermally broken aluminium frame ensuring high thermal performance and minimizing the thermal bridging effect.                    |
| 6 | Thermally broken low threshold, enhancing comfort and safety.   |
| 7 | Additional closing gasket providing thermal and acoustic insulation   |
| 8 | Laminated safety glass, triple-glazed with black spacer   |
| 9 | Laminated safety glass, quadruple-glazed with black spacer  |

### KOBBE PREMIUM 75

|           |                           |
|-----------|---------------------------|
| U-value   | 0.95 W/(m <sup>2</sup> K) |
| Door Leaf | 75mm                      |
| Frame     | 75mm                      |
| Glazing   | Triple-glazed             |
| Security  | PAS24, RC2                |



### KOBBE PREMIUM 90

|           |                           |
|-----------|---------------------------|
| U-value   | 0.80 W/(m <sup>2</sup> K) |
| Door Leaf | 90mm                      |
| Frame     | 90mm                      |
| Glazing   | Quadruple-glazed          |
| Security  | PAS24, RC2                |

# DEFAULT EQUIPMENT

## KOBBE PRESTIGE



|              |   |
|--------------|---|
| 1 frame      | Top quality thermally broken aluminium frame, double-sided flush overlay panel in PRESTIGE 75, externally flush overlay panel in PRESTIGE 95. |
| 2 lock       | GU 3-point lock   |
| 3 hinges     | High-quality roller hinges, powder coated, colour matched   |
| 4 cylinder   | BKS Series 88 cylinder with emergency function, 5 keys  |
| 5 escutcheon | Round escutcheon, flush-mounted, stainless steel  |
| 6 colour     | Durable powder coated fine-structure matt finish  |
| 7 glass      | Triple glazed in PRESTIGE 75, quadruple glazed in RESTIGE 95, laminated safety-glass  |



2 Lock  
GU 3-point



3 Roller hinges



5 Round escutcheon  
flush-mounted,  
stainless steel

4 BKS cylinder  
with emergency  
function,  
5 keys




# CROSS-SECTION KOBBE PRESTIGE

- |   |   |
|---|---|
| 1 | High-quality exterior aluminium sheet EN AW1050, resistant to changing weather conditions.  |
| 2 | Filling: modern XPS board – providing excellent thermal insulation, high durability, and resistance to moisture and corrosion.                  |
| 3 | High-quality interior aluminium sheet EN AW1050, resistant to changing weather conditions.  |
| 4 | EPDM seals – providing resistance to changing weather conditions, including extreme temperatures, as well as aging, UV radiation, and moisture. |
| 5 | Multi-chamber profiles with a thermal break, ensuring high thermal performance. Minimizes thermal bridging effect.                              |
| 6 | Warm, low threshold with a thermal break, enhancing user comfort and safety.  |
| 7 | Closing seal that provides thermal and acoustic insulation – minimizing heat loss from the house, maintaining the proper internal temperature.  |
| 8 | Safety glass, triple-glazed unit, black warm spacer frame   |
| 9 | Safety glass, quadruple-glazed unit, black warm spacer frame  |

## KOBBE PRESTIGE 75

|                   |                           |
|-------------------|---------------------------|
| U-value           | 0.95 W/(m <sup>2</sup> K) |
| Leaf/Panel        | 75mm                      |
| Frame             | 75mm                      |
| Glass             | triple glazed laminated   |
| Opening direction | inwards and outwards      |
| Security          | PAS24, RC2                |



## KOBBE PRESTIGE 95

|                   |                           |
|-------------------|---------------------------|
| U-value           | 0.79 W/(m <sup>2</sup> K) |
| Leaf/Panel        | 95mm                      |
| Frame             | 75mm                      |
| Glass             | quadruple-glazed          |
| Opening direction | inwards                   |
| Security          | PAS24, RC2                |

\*Leaf flush on the exterior only, 75mm frame



# Collection Alu Solid

Alu Solid is a series of aluminium doors with a minimalist, modern design. A simple form without glazing, subtle milling patterns, and stainless steel elements give them a unique charm.

Carefully selected fittings and elegant pull handles ensure durability and user comfort. This collection offers not only a wide range of RAL colours but also the possibility of sublimation, allowing for the effect of natural wood or raw concrete.

An ideal combination of simplicity, functionality, and style that perfectly enhances the character of your home.

**Endless design and finish options**

---

**Timeless and minimalistic**

---

**Customizable milling patterns**

---

**Decorative stainless steel applications**

---





KB 130

Colour RAL 7012  
Pull handle QA35 120cm



KB 290

Colour RAL 7006  
Pull handle QA35 200cm



KB 530

Colour RAL 5011  
Pull handle Q35 200cm



KB 640

Colour C 34 Anode Effect  
Pull handle QA35 200cm Anode Effect

The image shows a door with dimensions of 1100 x 2100



KB 650

Colour **RAL 3004**  
Pull handle **Q35 160cm**



KB 660

Colour **RAL 7022**  
Pull handle **P10 160cm**



KB 1100

Colour **RAL 6005**  
Pull handle **QA35 120cm**



KB 1240

Colour **Golden Oak/RAL 9005**  
Pull handle **QA35 200cm**

ALU BASIC | ALU DESIGN | ALU CLASSIC | ALU XGLASS | ALU QUARTZ | ALU SLAT | PIVOT

The image shows a door with dimensions of 1100 x 2100



KB 100  
Colour DB 703  
Pull handle QA35 200cm



KB 110  
Colour RAL 3004  
Pull handle Q35 120cm



KB 120  
Colour RAL 5003  
Pull handle Q35 160cm



KB 130  
Colour RAL 7012  
Pull handle QA35 120cm



KB 140  
Colour RAL 6005  
Pull handle QA35 160cm



KB 160  
Colour C 33 Anode Effect  
Pull handle Q35 120cm



KB 200  
Colour RAL 7016  
Pull handle QA35 200cm



KB 210  
Colour Golden Oak/RAL 9005  
Pull handle QA35 200 cm



KB 270  
Colour RAL 7016  
Pull handle Q35 160cm



KB 300  
Colour RAL 9005  
Pull handle P10 120cm



KB 320

Colour RAL 6009  
Pull handle PA10 160cm



KB 340

Colour DB 703  
Pull handle QA35 160cm



KB 600

Colour RAL 3004  
Pull handle QA35 160cm



KB 670

Colour RAL 5003  
Pull handle QA35 200cm



KB 1110

Colour DB 703  
Pull handle Q35 160cm



KB 1120

Colour C 34 Anode Effect  
Pull handle QA35 200cm Anode Effect



KB 1130

Colour RAL 5011  
Pull handle Q35 160cm



KB 1140

Colour RAL 7012  
Pull handle P10 120cm



KB 1150

Colour RAL 9007  
Pull handle QA35 160cm



KB 1160

Colour RAL 5011  
Pull handle QA35 200cm



KB 1170  
Colour **DB 703**  
Pull handle **Q35 200cm**



KB 1180  
Colour **Dark Concrete/RAL 9005**  
Pull handle **QA35 160cm**



KB 1190  
Colour **RAL 7016**  
Pull handle **Q35 160cm**



KB 1200  
Colour **RAL 7001/RAL 9005**  
Pull handle **QA35 160cm**



KB 1210  
Colour **RAL 3004**  
Pull handle **Q35 160cm**



KB 1220  
Colour **DB 703**  
Pull handle **Q35 200cm**



KB 1230  
Colour **Golden Cherry/DB 703**  
Pull handle **QA35 120cm**



KB 1250  
Colour **Golden Cherry/DB 703**  
Pull handle **Q35 120cm**



KB 1260  
Colour **Bleached Beech/RAL 7016**  
Pull handle **Q35 200cm**





# Collection Alu Design

The ALU DESIGN line of entrance doors uniquely characterizes both the exterior and interior of your home, reflecting its distinctive individuality. The collection offers the opportunity to introduce an original, contemporary and refined aesthetic.

An impeccable blend of elegance, style, security and longevity — elevated further by the option to include glazing within the panel. Available in a wide range of colour tones and reflective variants, the glass element adds depth, character and a sophisticated visual accent, enhancing the overall architectural expression.

**Sleek and modern**

---

**Designed to brighten your space**

---

**Distinctive milling and  
stainless steel accents**

---

**A diverse array of glass shapes  
and colours**

---



The ALU DESIGN doors stand out with their versatile millings, glass choices, and stainless steel accents. The customisation possibilities extend even further, offering a wide range of finishes, from any colour within the RAL palette to wood and concrete effect surfaces. Allowing you to creatively tailor your front door to match your personal preferences.



KB 280

Made to stand out

Combine any two colors and design the door that enhances your most extraordinary exteriors.



KB 400

Brighten up your space

This design combines aesthetics and functionality. Large glass surfaces provide excellent interior lighting.



KB 500

Modern and elegant

This contemporary design and refined appearance bestow a unique charm.



KB 1420

Effortless beauty

Sleek, geometric milling in its purest form elevates the aesthetic appeal of your home.



KB 190

Colour RAL 9005  
Pull handle C40 200cm with LED



KB 220

Colour RAL 7016  
Pull handle Q35 120cm



KB 450

Colour RAL 9005  
Pull handle Q35 160cm



KB 1450

Colour RAL 3004  
Pull handle QA35 200cm



KB M01

Colour **DB 703**  
Pull handle **P10 160cm**



KB M04

Colour **RAL 7006**  
Pull handle **QA35 120cm**



KB M08

Colour **RAL 7012**  
Pull handle **QA35 160cm**



KB M09

Colour **RAL 6005**  
Pull handle **P10 120cm**



KB M11

Colour **RAL 5003**  
Pull handle **QA35 160cm**



KB M14

Colour **Winchester/RAL 9005**  
Pull handle **QA35 200cm**



KB M210

Colour **RAL 3004**  
Pull handle **P10 120cm**



KB M211

Colour **RAL 7016**  
Pull handle **Q35 160cm**



KB 150

Colour **DB 703**  
Pull handle **Q35 160cm**



KB 170

Colour **RAL 5003**  
Pull handle **QA35 200cm**



KB 180

Colour RAL 7001/RAL 9005  
Pull handle QA35 160cm



KB 230

Colour RAL 6005  
Pull handle Q35 160cm



KB 240

Colour RAL 7006  
Pull handle P10 120cm



KB 250

Colour RAL 5011  
Pull handle Q35 160cm



KB 260

Colour RAL 7016  
Pull handle Q35 120cm



KB 310

Colour RAL 9005  
Pull handle Q35 160cm



KB 330

Colour RAL 7001  
Pull handle QA35 200cm



KB 350

Colour DB 703  
Pull handle P10 160cm



KB 360

Colour RAL 5003  
Pull handle Q35 160cm



KB 370

Colour RAL 6005  
Pull handle P10 120cm

ALU BASIC | ALU DESIGN | ALU CLASSIC | ALU XGLASS | ALU QUARTZ | ALU SLAT | PIVOT



KB 380

Colour RAL 7006  
Pull handle QA35 160cm



KB 390

Colour RAL 3004  
Pull handle QA35 160cm



KB 410

Colour RAL 7022  
Pull handle QA35 160cm



KB 420

Colour RAL 9007  
Pull handle PA10 160cm



KB 430

Colour Siena PL/RAL 9005  
Pull handle QA35 160cm



KB 440

Colour RAL 7016  
Pull handle P10 120cm



KB 460

Colour RAL 3004  
Pull handle Q35 120cm



KB 470

Colour RAL 5003  
Pull handle C40 200cm with LED



KB 480

Colour RAL 7016  
Pull handle QA35 160cm



KB 490

Colour Walnut/RAL 9005  
Pull handle Q35 160cm



KB 510

Colour RAL 7001  
Pull handle P10 120cm



KB 520

Colour RAL 5011  
Pull handle Q35 120cm



KB 540

Colour DB 703  
Pull handle CA40 200cm with LED



KB 560

Colour RAL 6005  
Pull handle Q35 120cm



KB 570

Colour RAL 3004  
Pull handle CA40 200cm with LED



KB 580

Colour DB 703  
Pull handle Q35 160cm



KB 590

Colour C 33 Anode Effect  
Pull handle QA35 200cm Anode Effect



KB 610

Colour RAL 5011  
Pull handle Q35 120cm



KB 620

Colour RAL 9005  
Pull handle P10 160cm



KB 630

Colour RAL 7006  
Pull handle Q35 160cm

ALU BASIC | ALU DESIGN | ALU CLASSIC | ALU XGLASS | ALU QUARTZ | ALU SLAT | PIVOT



KB 1400

Colour RAL 9016  
Pull handle P10 100cm



KB 1410

Colour Siena PL/DB 703  
Pull handle P10 120cm



KB 1430

Colour RAL 5003  
Pull handle QA35 160cm



KB 1440

Colour RAL 7012  
Pull handle QA35 120cm



KB 1460

Colour RAL 7016  
Pull handle P10 160cm



KB 1470

Colour C 33 Anode Effect  
Pull handle QA35 160cm



KB 1480

Colour RAL 6005  
Pull handle QA35 120cm



KB 1490

Colour C 33 Anode Effect  
Pull handle QA35 200cm



KB 1500

Colour RAL 5011  
Pull handle PA10 160cm



KB 1510

Colour DB 703  
Pull handle Q35 200cm



KB 1520

Colour RAL 3004  
Pull handle QA35 120cm



KB 1530

Colour RAL 9005  
Pull handle Q35 200cm



KB 1540

Colour RAL 6009  
Pull handle PA10 160cm



KB 1550

Colour C 33 Anode Effect  
Pull handle P10 160cm



KB 1560

Colour RAL 3099  
Pull handle Q35 160cm



KB 1570

Colour RAL 5003  
Pull handle P10 160cm



KB 1580

Colour DB 703  
Pull handle Q35 160cm



KB 1590

Colour Turner Oak/RAL 9005  
Pull handle QA35 200cm



KB 1600


Colour DB 703  
Pull handle Q35 200cm



KB 1610

Colour RAL 6005  
Pull handle Q35 120cm

ALU BASIC | ALU DESIGN | ALU CLASSIC | ALU XGLASS | ALU QUARTZ | ALU SLAT | PIVOT



KB 1620

Colour **Light Concrete/RAL 9005**  
Pull handle **CA40 200cm with LED**



KB 1630

Colour **RAL 3004**  
Pull handle **Q35 160cm**



KB 1640

Colour **RAL 7016**  
Pull handle **QA35 160cm**



KB 1650

Colour **Dark Concrete/RAL 9005**  
Pull handle **CA40 200cm with LED**





# Collection Alu Classic

Blending tradition, sophistication, and comfort, this unique collection seamlessly integrates classic aesthetics with modern innovations, resulting in doors with unparalleled character.

Drawing inspiration from the grandeur of the Victorian era and the charm of countryside living, these models feature refined, traditional forms that harmonize beautifully with both classic and contemporary interiors.

Alu Classic is the perfect choice for those who seek enduring style—one that transcends trends and remains effortlessly elegant for years to come.

**Elegant and sophisticated**

---

**A perfect harmony of tradition and modern solutions**

---

**Refined in every detail**

---

**A distinctive addition to your home**

---





KB 1900  
Colour RAL 9005  
Knob Polished Brass



KB 1910  
Colour RAL 6005  
Pull handle Classic 28cm



KB 1920  
Colour RAL 7022  
Knob Satin Stainless Steel



KB 1930  
Colour RAL 9005  
Pull handle Classic 28cm



KB 1940  
Colour RAL 7016  
Pull handle Classic 28cm



KB 1950  
Colour RAL 3004  
Pull handle Classic 28cm



KB 1960  
Colour RAL 9005  
Knob Polished Brass



KB 1970  
Colour RAL 5003  
Knob Polished Brass



KB 1980  
Colour RAL 5011  
Handle Round Inox



KB 1990  
Colour RAL 7001  
Handle Round Inox




KB 2000

Colour RAL 7016  
Knob **Satin Stainless Steel**



KB 2010

Colour **DB 703**  
Pull handle **Classic 28cm**





# Collection Alu Xglass

A refined blend of aluminium and glass creates a striking and modern expression. This solution not only offers advanced performance but also delivers a clean, contemporary visual impact. The sleek glass surface combined with a durable powder-coated aluminium gives the door a bold yet harmonious identity.

The aluminium part can be made in any RAL colour. The glass is available in black.

**A modern fusion of glass and aluminium in an elegant form**

---

**Deep black glass adds a luxurious touch.**

---

**Aluminium surface available in any RAL colour**

---

**A striking appearance that catches the eye and adds a unique touch**

---





KB 1000

Colour RAL 7016/RAL 9005  
Pull handle Livello



KB 1010

Colour RAL 7016/RAL 9005  
Pull handle P10 160cm



KB 1020

Colour RAL 7016/RAL 9005  
Pull handle P10 120cm



KB 1030

Colour RAL 7016/RAL 9005  
Pull handle Q90 P 40x20

The image shows a door with dimensions of 1100 x 2100



KB 1040

Colour RAL 7016/RAL 9005  
Pull handle P10 100cm



KB 1050

Colour RAL 7016/RAL 9005  
Pull handle P10 100cm





# Collection Alu Quartz

The Alu Quartz collection represents the essence of refined design and longevity. The use of ceramic surfaces gives the doors a unique, stone-inspired character while offering exceptional resistance to scratches, moisture and everyday use. It's a solution that fits seamlessly into minimalist contemporary architecture as well as bold, industrial environments.

For those who appreciate striking aesthetics paired with practicality, Alu Quartz is a choice that delivers without compromise.

**Unmatched durability and resistance to scratches and moisture**

---

**Luxury finish inspired by natural stone**

---

**Elegantly balanced design**

---

**Crafted with precision and unmatched quality**

---





KB 2200

Ceramic **Abu Dhabi**  
Pull handle **QA-Ws 120cm**




KB 2200

Ceramic **Nero Greco**  
Pull handle **QA35 80cm**



KB 2200

Ceramic **Pietra Grigia**  
Pull handle **QA35 80cm**



KB 2200

Ceramic **Iron Grey**  
Pull handle **QA-Ws 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 2180

Ceramic **Noir Desir**  
Pull handle **QA35 80cm**



KB 2180

Ceramic **Iron Corten**  
Pull handle **QA-Ws 120cm**



KB 2210

Ceramic **Osido Bruno**  
Pull handle **QA35 80cm**



KB 2210

Ceramic **Iron Grey**  
Pull handle **QA-Ws 120cm**

ALU BASIC | ALU DESIGN | ALU CLASSIC | ALU XGLASS | ALU QUARTZ | ALU WOOD | ALU SLAT

The image shows a door with dimensions of 1100 x 2100



KB 2220

Ceramic **Pietra Grigia**  
Pull handle **PA10 80cm**



KB 2030

Ceramic **Nero Greco**  
Pull handle **PA10 80cm**



KB 2050


Ceramic **Summer Dala**  
Pull handle **QA-Ws 120cm**



KB 2200

Ceramic **Amazonico**  
Pull handle **QA-Ws 120cm**

The image shows a door with dimensions of 1100 x 2100





# Collection Alu Slat

Entrance doors with decorative slats bring a modern yet sophisticated touch to any space.

Designed for contemporary exteriors, they offer a perfect balance between innovation and timeless elegance. Precision craftsmanship, high-quality materials, and advanced finishing techniques ensure long-lasting durability, functionality, and style.

With their clean lines and architectural appeal, these doors perfectly complement the latest design trends, making them an ideal choice for modern homes.

**Sophisticated design featuring vertical slats**

---

**A striking visual effect**


---

**Exceptional resistance to weather conditions and damage**

---

**Ideal choice for modern facades**

---





KB 1800

Colour **Turner Oak/RAL 9005**  
Pull handle **Q35 200cm**



KB 1810

Colour **Turner Oak/RAL 9005**  
Pull handle **PA10 160cm**



KB 1820

Colour **Bleached Beech/DB 703**  
Pull handle **Q35 120cm**

The image shows a door with dimensions of 1100 x 2100



KB 1830

Colour Siena PL/DB 703  
Pull handle QA35 200cm



KB 1840

Colour RAL 7006/RAL 9005  
Pull handle QA35 160cm



KB 1850

Colour Bleached Beech/RAL 9005  
Pull handle QA35 200cm



# Collection Pivot

Distinguished by precision, balance and a refined sense of proportion, the Pivot door line introduces a new language of entrance architecture. This collection stands at the crossroads of elegance and engineering, offering a harmonious blend of contemporary expression and cutting-edge technology.

The pivot system creates a smooth, almost weightless motion, allowing even large-scale constructions to open with remarkable ease. Every material, surface and detail has been selected to elevate the experience - from robust structural elements hidden within the design, to tactile finishes crafted to perfection. These doors are tailored for spaces where architecture becomes identity, where performance meets aesthetic intention, and where expectations are high and compromise is not an option.

The Pivot range is designed for clients who value individuality and refined simplicity. Those pursuing a timeless entrance that conveys confidence and sophistication from the very first impression.

**Breathtaking grand  
entrance**

---

**Cutting-edge technical  
innovation**

---

**Iconic architectural  
statement**

---

**Boundless creative  
potential**

---



# Collection Pivot

The design options for the Pivot collection draw inspiration from the full catalogue of finishes presented earlier, allowing continuity in style across all product lines. From natural stone-inspired ceramics and textured surfaces to advanced colour systems and refined handle solutions - every aesthetic direction can be pursued with confidence.

Impressive maximum format of 4 metres high by 2 metres wide offers breathtaking scale, turning the entrance into a focal point of the building's architecture. Such dimensions often require bespoke engineering, careful planning and tailored solutions, which is why every Pivot door is approached as an individual creation rather than a standard product.

We work closely with clients, architects and designers to tailor each Pivot door to the project. With flexible sizing, finishes and technology, the design possibilities are broad. The result is a distinctive grand entrance — crafted with precision and aligned with the vision of the space.



PIVOT KB 3000  
Ceramic **Ossido Bruno**  
Frame colour **Rusty Iron**  
Pull handle **FUME**



PIVOT KB 3010  
Ceramic **Ossido Nero**  
Frame colour **RAL 9005**  
Pull handle **CA40**



PIVOT KB 3020

Ceramic **Krater**  
Frame colour **RAL9005**  
Pull handle **Q-WA**



PIVOT KB 1830

Colour **Siena PL / RAL9005**  
Pull handle **QA35**



PIVOT KB 3030

Ceramic **Nero Greco**  
Frame and accent colour **RAL9005**  
Pull handle **FUME**

---

The image shows a door with dimensions of 1500 x 3500



## Layout Variants



## SIDELIGHTS AND TOPLIGHTS

Sidelights and toplights maximise natural light, brightening the interior while enhancing the contemporary aesthetic of the door. As standard, they are fitted with a triple-glazed unit featuring laminated safety glass, combining elegance with enhanced security.

Available in widths from 300 to 1350 mm (sidelights) and heights from 300 to 1000 mm (toplights), they offer tailored solutions to meet individual requirements.

They can be either fully integrated with the door frame or supplied as a separate element, ensuring a seamless and refined appearance.





# WOOD-EFFECT / CONCRETE-EFFECT FINISHES



# CERAMIC FINISHES // ALU QUARTZ


Pietra Grigia



Nero Greco



Noir Desir



Ossido Bruno



Abu Dhabi



Amazonico



Iron Corten



Iron Grey




Summer Dala



Black Obsession




Niagara



Ossido Nero



Pietra Grey



Emperador Extra



Strata Argentum




Iron Copper



Metropolitan





Basalt Black



ALU QUARTZ



P U L L H A N D L E S






W10LED

Recessed handle  
with LED backlight

## Recessed Handle, W10

Any colour from the RAL chart  
(see p. 56), optional LED backlight.





## P10

Ø 30mm, Ø 40mm\*\*, Inox

| Length  | Code      | LED backlight* |
|---------|-----------|----------------|
| 600 mm  | P10.60    | 2 pcs. LED     |
| 800 mm  | P10.80    | 3 pcs. LED     |
| 1000 mm | P10.100   | 4 pcs. LED     |
| 1200 mm | P10.120   | 5 pcs. LED     |
| 1400 mm | P10.140   | 6 pcs. LED     |
| 1600 mm | P10.160   | 7 pcs. LED     |
| 1800 mm | P10.180** | 8 pcs. LED     |
| 2000 mm | P10.200** | 9 pcs. LED     |



LED Light



Microswitch

## PA10

Ø 30mm, Ø40 mm\*\*, aluminium, Black

| Length  | Code       | LED backlight* |
|---------|------------|----------------|
| 600 mm  | PA10.60    | 2 pcs. LED     |
| 800 mm  | PA10.80    | 3 pcs. LED     |
| 1000 mm | PA10.100   | 4 pcs. LED     |
| 1200 mm | PA10.120   | 5 pcs. LED     |
| 1400 mm | PA10.140   | 6 pcs. LED     |
| 1600 mm | PA10.160   | 7 pcs. LED     |
| 1800 mm | PA10.180** | 8 pcs. LED     |
| 2000 mm | PA10.200** | 9 pcs. LED     |



LED Light



Microswitch

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).

## Q10

40 x 20 mm, Inox

| Length  | Code    | LED backlight* |
|---------|---------|----------------|
| 600 mm  | Q10.60  | 2 pcs. LED     |
| 800 mm  | Q10.80  | 3 pcs. LED     |
| 1000 mm | Q10.100 | 4 pcs. LED     |
| 1200 mm | Q10.120 | 5 pcs. LED     |
| 1400 mm | Q10.140 | 6 pcs. LED     |
| 1600 mm | Q10.160 | 7 pcs. LED     |
| 1800 mm | Q10.180 | 8 pcs. LED     |
| 2000 mm | Q10.200 | 9 pcs. LED     |



LED  
Light



ekey  
dLine



Microswitch

## QA10

40 x 20 mm, aluminium, Black

| Length  | Code     | LED backlight* |
|---------|----------|----------------|
| 600 mm  | QA10.60  | 2 pcs. LED     |
| 800 mm  | QA10.80  | 3 pcs. LED     |
| 1000 mm | QA10.100 | 4 pcs. LED     |
| 1200 mm | QA10.120 | 5 pcs. LED     |
| 1400 mm | QA10.140 | 6 pcs. LED     |
| 1600 mm | QA10.160 | 7 pcs. LED     |
| 1800 mm | QA10.180 | 8 pcs. LED     |
| 2000 mm | QA10.200 | 9 pcs. LED     |



LED  
Light



ekey  
dLine



Microswitch

QA10


Q10

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).

QA90



Q90



## Q90

40 x 40 mm, Inox

| Length  | Code    | LED backlight* |
|---------|---------|----------------|
| 600 mm  | Q90.60  | 2 pcs. LED     |
| 800 mm  | Q90.80  | 3 pcs. LED     |
| 1000 mm | Q90.100 | 4 pcs. LED     |
| 1200 mm | Q90.120 | 5 pcs. LED     |
| 1400 mm | Q90.140 | 6 pcs. LED     |
| 1600 mm | Q90.160 | 7 pcs. LED     |
| 1800 mm | Q90.180 | 8 pcs. LED     |
| 2000 mm | Q90.200 | 9 pcs. LED     |



LED Light



Microswitch

## QA90

40 x 40 mm, aluminium, Black

| Length  | Code     | LED backlight* |
|---------|----------|----------------|
| 600 mm  | QA90.60  | 2 pcs. LED     |
| 800 mm  | QA90.80  | 3 pcs. LED     |
| 1000 mm | QA90.100 | 4 pcs. LED     |
| 1200 mm | QA90.120 | 5 pcs. LED     |
| 1400 mm | QA90.140 | 6 pcs. LED     |
| 1600 mm | QA90.160 | 7 pcs. LED     |
| 1800 mm | QA90.180 | 8 pcs. LED     |
| 2000 mm | QA90.200 | 9 pcs. LED     |



LED Light



Microswitch

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).

## Q35

35 x 35 mm, Inox

| Length  | Code    | LED backlight* |
|---------|---------|----------------|
| 1200 mm | Q35.120 | LED-Strip      |
| 1400 mm | Q35.140 | LED-Strip      |
| 1600 mm | Q35.160 | LED-Strip      |
| 1800 mm | Q35.180 | LED-Strip      |



LED  
Light



ekey  
dLine



Microswitch

## QA35

35 x 35 mm, Black

| Length  | Code     | LED backlight* |
|---------|----------|----------------|
| 1200 mm | QA35.120 | LED-Strip      |
| 1400 mm | QA35.140 | LED-Strip      |
| 1600 mm | QA35.160 | LED-Strip      |
| 1800 mm | QA35.180 | LED-Strip      |



LED  
Light



ekey  
dLine



Microswitch

QA35

Q35

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).

## C 40

40 x 40 mm, Inox\*\*

| Length  | Code    | LED backlight* |
|---------|---------|----------------|
| 1600 mm | C40.160 | LED strip      |
| 1800 mm | C40.180 | LED strip      |
| 2000 mm | C40.200 | LED strip      |
| 2200 mm | C40.220 | LED strip      |



LED  
Light



ekey  
dLine



Microswitch

## CA 40

## CA 40

40 x 40 mm, Inox Black

| Length  | Code     | LED backlight* |
|---------|----------|----------------|
| 1600 mm | CA40.160 | LED strip      |
| 1800 mm | CA40.180 | LED strip      |
| 2000 mm | CA40.200 | LED strip      |
| 2200 mm | CA40.220 | LED strip      |



LED  
Light



ekey  
dLine



Microswitch

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).

## C 40

## SPSG-16

Ø 30mm, Inox

| Length  | Code         |
|---------|--------------|
| 1200 mm | SPSG-16-1200 |
| 1400 mm | SPSG-16-1400 |
| 1600 mm | SPSG-16-1600 |
| 1800 mm | SPSG-16-1800 |

### PULL HANDLES WITH INTEGRATED CAMERA AND DIGITAL DOOR VIEWER

Enhance your home security with pull handles featuring a built-in camera and digital door viewer. The innovative system offers a 150° wide-angle lens for full visibility of your doorway, allowing you to see who's outside without opening the door. A perfect combination of style, technology, and safety for complete peace of mind.

## SPSG-18

40 x 20 mm, Inox

| Length  | Code         |
|---------|--------------|
| 1200 mm | SPSG-18-1200 |
| 1400 mm | SPSG-18-1400 |
| 1600 mm | SPSG-18-1800 |
| 1800 mm | SPSG-18-1800 |



4.3-inch LED screen, mounted flush with the panel on the inside of the door.

## SPSG-16



## SPSG-18

## Pull Handles with Custom Inlays

This collection highlights our signature pull handles, available with any inlay from our ceramic colour range (see the Alu Quartz chart). For the Alu XGlass series, a black glass inlay is available. Handles can be customised further with either a stainless-steel or black finish, allowing you to tailor the final look to your preferred style.

Q-Ws

---

Q-Ws

---





## Q-W

40 x 20 mm, Inox  
Inlay: Q-WS - Quartz/Q-WG - Xglass

| Length  | Code     | LED backlight* |
|---------|----------|----------------|
| 1200 mm | Q-WS.120 | LED strip      |
| 1400 mm | Q-WS.140 | LED strip      |
| 1600 mm | Q-WS.160 | LED strip      |
| 1800 mm | Q-WS.180 | LED strip      |
| 1200 mm | Q-WG.120 | LED strip      |
| 1400 mm | Q-WG.140 | LED strip      |
| 1600 mm | Q-WG.160 | LED strip      |
| 1800 mm | Q-WG.180 | LED strip      |



## QA-W

40 x 20 mm, Black  
Inlay: QA-WS - Quartz/QA-WG - Xglass

| Length  | Code      | LED backlight* |
|---------|-----------|----------------|
| 1200 mm | QA-WS.120 | LED strip      |
| 1400 mm | QA-WS.140 | LED strip      |
| 1600 mm | QA-WS.160 | LED strip      |
| 1800 mm | QA-WS.180 | LED strip      |
| 1200 mm | QA-WG.120 | LED strip      |
| 1400 mm | QA-WG.140 | LED strip      |
| 1600 mm | QA-WG.160 | LED strip      |
| 1800 mm | QA-WG.180 | LED strip      |



LED Light



Microswitch

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).



LED Light



Microswitch

\* A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).

Please refer to page 58 for the available inlays. Q-Ws and QA-Ws handles with ceramic inlay are available for Alu-Quartz doors, using the matching ceramic finish.





**Q90 P** 40 x 20 mm, Horizontal, Inox

**QA90 P** 40 x 20 mm, Horizontal, aluminium, Black

| Length | Code               | LED backlight* |
|--------|--------------------|----------------|
| 800 mm | Q90.80 Horizontal  | 3 pkt. LED     |
| 800 mm | QA90.80 Horizontal | 3 pkt. LED     |



LED Light



Microswitch

Exclusively for the KB1030 design

\*A cable conduit (KB 1.96) is required for the LED backlight (see p. 66).



**LIVELLO** 350 x 60 mm, Horizontal, Inox

| Length | Code.                 |
|--------|-----------------------|
| 350 mm | LIVELLO (350 x 60 mm) |

Exclusively for the KB1000 design

## Prestige Range Lever Handles

| Code    | Description     | Colours   |
|---------|-----------------|---|
| KB 1.60 | Lever handle H1 | Inox<br>Black   |
| KB 1.61 | Lever handle H2 | Inox<br>Black<br>Anthracite<br>Satin Copper<br>Satin Gold<br>Gold PVD |
| KB 1.62 | Lever handle H3 | Inox<br>Black<br>Anthracite<br>Satin Copper<br>Satin Gold<br>Gold PVD |
| KB 1.63 | Lever handle H4 | Inox<br>Black   |
| KB 1.64 | Lever handle H5 | Inox<br>Black   |





KB 1.60 Lever handle H1



KB 1.61 Lever handle H2



KB 1.62 Lever handle H3



KB 1.63 Lever handle H4



KB 1.64 Lever handle H5



KB 1.60 Lever handle H1, Black



KB 1.61 Lever handle H2, Black



KB 1.62 Lever handle H3, Black



KB 1.63 Lever handle H4, Black




KB 1.64 Lever handle H5, Black



Lever handle H2/H3, Anthracite



Lever handle H2/H3, Satin Copper



Lever handle H2/H3, Satin Gold




Lever handle H2/H3, Gold PVD






KB 3.10 The ekey dLine system is seamlessly installed within the door itself, featuring a stainless steel finish. It can be easily managed through the ekey bionyx app, allowing for straightforward control of the door's security features.



KB 3.10 ekey dLine Inox | Black



# Access Control



KB 3.12 SOREX keypad -  
Black



KB 3.22 Day / night button  
Black | Inox

KB 3.11 ekey dLine  
Pull handle P series,  
Inox

KB 3.11 ekey dLine  
Pull handle Q series, black

KB 3.11 ekey dLine  
Pull handle Q series,  
Inox

| Code     | Description  |
|----------|--|
| KB 3.10* | ekey dLine door leaf, Inox   Black                                     |
| KB 3.11* | ekey dLine in pull handle QA Series, Inox   Black                      |
| KB 3.12* | SOREX keypad, RFID, Mobile App, Black                                  |
| KB 3.20* | Microswitch in the pull handle, single function, without backlight     |
| KB 3.22  | Day/night function button with twocolor LED backlight.<br>Inox   Black |


\* ekey dLine is not available in PA10 handles.

# Premium Range Locks

| Code    | Description                 |
|---------|-----------------------------|
| KB 4.50 | Winkhaus 3-point hook lock  |
| KB 4.51 | Winkhaus 5-point hook lock  |
| KB 4.20 | GU Automatic slam-shut lock |

# E-Opener | Day/ Night function

| Code.   | Description                              |
|---------|--|
| KB 1.21 | Electrick strike with day/night function |



KB 4.50 Winkhaus 3-point hook lock

KB 4.51 Winkhaus 5-point hook lock

KB 4.20 GU Automatic 3 point slam-shut lock



KB 1.21 Electric strike with day/night function

# Prestige Range Locks

| Code     | Description   |
|----------|---|
| KB 4.10  | G-U MR2, 3-point locking system, Inox   |
| KB 4.11  | G-U MR2, 3-point locking system + T-catch door restrictor, Inox                                 |
| KB 4.12  | G-U DR, 5-point locking system, Inox  |
| KB 4.20  | G-U Automatic 3, Automatic 3-point lock, Inox   |
| KB 4.21  | G-U Automatic 3 TE, automatic 3-point locking system with daytime function ,Inox                |
| KB 4.22* | G-U Automatic 3, automatic 3-point locking system with A-Opener, Inox                           |
| KB 4.23  | G-U Automatic 3, 3-point locking system + T-catch door restrictor, Inox                         |
| KB 4.24* | G-U Automatic 3, automatic 3-point locking system with A-Opener + T-catch door restrictor, Inox |
| KB 4.30  | G-U Automatic-DR automatic 5-point locking system, Inox   |
| KB 4.31* | G-U Automatic ADR automatic 5-point locking system with A-opener, Inox                          |
| KB 4.40  | G-U Automatic A6 automatic 7-point locking system , Inox  |
| KB 4.41* | G-U Automatic A6 automatic 7-point locking system with A-Opener, Inox                           |

## E-Opener | Day/ Night function

| Code.     | Description                             |
|-----------|---|
| KB 1.20** | Strike plate with day/night function    |
| KB 1.21** | Electric strike with day/night function |

\*\* For locks KB 4.10, KB 4.11, KB 4.12, KB 4.21



### Mechanical locks

Dead bolts

KB 4.10, KB 4.11



Dead bolts and hooks top and bottom

KB 4.12



Full-height strike plate elegantly integrated with the frame.



KB 1.20



KB 1.21

Day-release and electric strike  
These strike plates include a small mechanical lever that activates day mode. Once enabled, the door can be opened simply by pulling the handle - without pressing the lever handle or using a key.  
KB 4.10, KB 4.11, KB 4.12, KB 4.21

### Automatic locks

Automatic dead bolts  
The automatic deadbolts extend by 20 mm and lock securely into place when the door is closed, preventing them from being pushed back.

KB 4.20, KB 4.21, KB 4.22, KB 4.23, KB 4.24



Automatic dead bolts and hooks  
The automatic deadbolts, along with the locking hooks, provide enhanced security.

KB 4.30, KB 4.31



Two Automatic dead bolts  
The automatic deadbolts extend by 20 mm and lock securely into place when the door is closed, preventing them from being pushed back..

KB 4.40, KB 4.41



T-catch door restrictor  
Integrated rigid system with toggle handle

KB 4.11, KB 4.23, KB 4.24

# Prestige Range Cylinders



KB 1.40



KB 1.42



KB 1.41



KB 1.43



PZ 88 / 86 Key



Livius Key

| Symbol    | Description                |
|-----------|----------------------------|
| KB 1.40   | Euro cylinder BKS 88       |
| KB 1.40 B | Euro cylinder BKS 88 black |
| KB 1.41   | Knob cylinder BKS 86       |
| KB 1.41 B | Knob cylinder BKS 86 black |
| KB 1.42   | Livius Euro cylinder       |
| KB 1.43   | Livius knob cylinder       |
| KB 1.46   | EVVA nickel                |
| KB 1.46 B | EVVA black                 |
| KB 1.47   | EVVA nickel knob cylinder  |
| KB 1.47 B | EVVA black knob cylinder   |



All prestige range cylinders are rated for RC2 class security

## Premium Range Hinges

| Symbol  | Description                  |
|---------|------------------------------|
| KB 1.34 | Colour matched roller hinges |
| KB 1.35 | Concealed hinge WALA         |



KB 1.34 Roller hinges

KB 1.35 Concealed hinge

## Prestige Range Hinges



KB 1.30 Roller hinges

KB 1.32 Concealed hinge

| Symbol   | Description  |
|----------|--|
| KB 1.30  | DR. Hahn 3-piece roller hinges, 3 pcs, EV1 anode       |
| KB 1.30R | DR. Hahn 3-piece roller hinges, 3 pcs., Colour         |
| KB 1.30I | DR. Hahn 3-piece roller hinges, 3 pcs, stainless steel |
| KB 1.32  | Concealed hinge, ROTO Solid C, 3 pcs., black           |
| KB 1.33  | Concealed hinge DR. Hahn, (Prestige 95)                |



KB 1.91



KB 1.92



KB 1.93



KB 1.94



KB 1.95



KB 1.96



KB 1.97



KB 1.98



KB 1.70



KB 1.71



KB 1.80 | KB 1.81

## Accessories

| Code     | Description   |
|----------|---|
| KB 1.91  | Door viewer   |
| KB 1.92  | Digital door viewer                                     |
| KB 1.93  | Digital door viewer with doorbell                       |
| KB 1.94  | Magnetic contact sensor for alarm integration           |
| KB 1.95  | Deadbolt position sensor for alarm connection (1 point) |
| KB 1.96* | Concealed plug-in cable coupling                        |
| KB 1.97  | LED lighting remote control                             |
| KB 1.98  | LED control - WiFi gateway with Mi-Light app.           |

## Door Closers

| Code    | Description                                       |
|---------|---|
| KB 1.70 | Concealed door closer DORMA ITS96                 |
| KB 1.71 | DORMA TS93 door closer with rail and rotary latch |

## Kick Plates

| Code    | Description                         |
|---------|-------------------------------------|
| KB 1.80 | 80 mm kick plate, flush with panell |
| KB 1.81 | 30 mm kick plate, flush with panell |

## Prestige Escutcheons



KB 1.51



KB 1.51B



KB 1.52



KB 1.52 B




KB 1.53

## Premium Escutcheons



## Frame Extensions

| Kobbe Premium<br>75 | Kobbe Premium<br>90 | Kobbe Prestige<br>75   95 |
|---------------------|---------------------|---------------------------|
| 33mm                | 30mm                | 23mm                      |
| 43mm                | 40mm                | 30mm                      |
| 54mm                | 50mm                | 50mm                      |
| 96mm                | 60mm                | 90mm                      |
|                     | 80mm                | 130mm                     |
|                     | 90mm                |                           |



K O B B E

ALUMINIUM DOORS